


ESD Control



Conductive Magazine Rack




Danpla Sheet



Table Mat



PVC Film Tile



Tile



USA

10030 Via de la Amistad, San Diego, California 92154
Phone:+1 619-661-5985 Fax:+1 619-661-5995
service@ams-fa.com

MEXICO

Polígono Buenavista -- Calle Cementera Lote 9, Mz 8
Ejido Buenavista - Querétaro, Qro. 76225
Phone:+52 442-312-0920 mexico@ams-fa.com

BRAZIL

Rua Laerte de Paiva, 344 Bairro Macuco Valinhos-
SP-CEP 13279.451
Phone:+55 19-3849-5555 quote@ams-fa.com

TABLE OF CONTENTS

Solution for
ESD Control



CONDUCTIVE MAGAZINE RACK	3
ESD PVC CURTAIN	4-5
CLEANING ROLLERS	6-7
ANTISTATIC TAPES	8
GROUNDING PRODUCTS	9
ESD FABRIC GLOVES	10
CLEANROOM GLOVES	11
SPECIAL GLOVES	11
TESTER	12
ESD ACYLIC/PVC/PC SHEET	12
ION BLOWERS	13
FINGER COTS	14
CLEANROOM STATIONERY	14
CLEANROOM APPAREL	15-16
CLEANROOM SWABS	17-18
ESD PACKAGING SHEETS & BAGS	18
CONDUCTIVE BOX & TRAY	19
TWEEZERS	19

CONDUCTIVE MAGAZINE RACK





FOR THE USE OF

1. Accumulation and mobility in PCB automatic line.
2. Accumulation and mobility in PCB construction line.
3. Storage for PCB accessories completely organized.



THE CHARACTERISTIC OF MAGAZINE RACK

- A lot of PCB can be accumulated and stored into small space.
- It is convenient to use with same interval by guide fixing type.
- It shall be guaranteed for a long use and storage.
- It is much convenient for the transportation, if rack cart is being used.
- It is perfectly precluded from a cause of static electricity, as using antistatic electricity plastic. (By the option)




SPECIFICATION

MODEL NO	TEMP RANGE		W	L	H	AJ	A	B	C	D	E	P	WEIGHT Kg
	TYPE1	TYPE2											
NTC-091	60°C	120°C	320	355	580	50~258	34	35	330	3	3	10	4.8
NTC-092	60°C	120°C	320	355	570	50~258	34	35	330	3	3	10	4.8
NTC-093	60°C	120°C	460	535	575	60~380	34	35	535	4	5	10	7
NTC-094	60°C	120°C	370	350	570	98~308	34	35	330	3/5	3/5	10	5
NTC-095	60°C	120°C	380	480	575	77~318	34	35	480	3	5	10	7
NTC-096	60°C	120°C	400	460	575	68~334	34	35	460	3	5	10	7
NTC-097	60°C	120°C	320	355	570	50~258	34	35	330	5	5	10	6
NTC-098		~250°C	320	355	570	50~250	34	35	335	3	3	10	6
NTC-099	60°C	120°C	320	620	575	60~236	34	35	600	4	5	10	8.5
NTC-100	60°C	120°C	530	535	575	150~450	34	35	535	4	5	10	8.5
NTC-101	60°C	120°C	530	620	575	150~450	34	35	600	4	5	10	8.8

GRID TYPE

CONDUCTIVE GRID CURTAIN



CONDUCTIVE BLACK GRID CURTAIN



UV GRID CURTAIN



PACKING CONDITION



TYPE	ITEM	S/R	SIZE
GRID TYPE	Normal Grid	10E4~6	0.5Tx1370x20M
	UV Grid or UV Clear Anti Type	10E4~6	0.5Tx1370x20M
	Conductive Black Grid Type	10E4~6	0.5Tx1370x20M
	Normal Grid + Clear Anti Type	10E4~6+10E9~11	0.5Tx1370x20M

Customers' requested sizes are available

ESD PVC Curtain

CLEAR TYPE

CLEAR CURTAIN



HOMOGENOUS TYPE




- Transparent and soft PVC film mixed with Antistatic agent
- Continuously controlled surface resistivity permanently
- No voltage after friction
- Equivalent of Achilles products

STRIP DOOR



CLEAN BOOTH



TYPE	ITEM	S/R	SIZE
CLEAR TYPE	Clear Anti	10E9	0.5Tx1370x20M
	Strip Door Type	10E9~11	2.0Tx200/300x30M
	Clear ESD Type	10E6~8	Custom made
	Homogenous Type	10E9	0.1T~0.5T: Max. Width 1370mm 0.6~5.0T: Max. Width 1200mm

Customers' requested sizes are available

ESD PVC Curtain

CLEANING ROLLERS



Cleanroom Cleaning Rollers with adhesives to remove dusts and particles.

MANUAL CLEANER SERIES



CLEANING HAND ROLLERS

Collect all kind of dusts and particles. The DCR pad is used to manually clean the emulsion on the Cleaning Hand Roller

- Small hand roller for detailed manual work
- 3 types of adhesive force (high, middle, low) for multiplicity work environment



HR-RED Type
[HR-150R, 250R, 350R]



HR-GREEN Type
[HR-150G, 250G, 350G]




HR-BLUE Type
[HR-150B, 250GB, 350B]

Customers' requested size and adhesive spec are available

STICKY ROLLERS

Roll type adhesive polyethylene film removes dusts on cleanroom floor, wall, garments or PC board and it is also designed for easier cutting after use



ELEP CLEANER

Lint free & ESD processed non-woven material remove dust with proper adhesive without residue after cleaning. Cushioned surface offers excellent wiping ability



CLEANING ROLLERS

Cleanroom Cleaning Rollers with adhesives to remove dusts and particles.

CLEANING PAPER PAD



DRS PAD BASE



DRS PAD (240x330mm)

MANUAL



1 Peeling



2 Rolling the roller



3 Dusts removed

ANTISTATIC TAPES



ANTISTATIC SHIELDING TAPES



LINE TAPES



CAPTON TAPES



SILICONE TAPES




ANTISTATIC CLEAR TAPES




ANTISTATIC GRID TAPES



TAPES



ESD ADHESIVE SHEETS & TAPES




Antistatic Tapes

GROUNDING PRODUCTS



TABLE MAT/ FLOOR RUBBER MAT




ITEM	SIZE	PACKING
Ground Cord	15cm, 30cm, 1.8m(Cord+Cord), 10ft(Cord+Clip)	25pc/bag, 10bags/carton
Wrist Strap	10ft	25pc/bag, 10bags/carton
Cordless Wrist Strap	Z Band, T band	1ea/bag
ESD Table Mat	2T, 3T * 600, 900, 1000, 1200 * 10M, 20M	1roll/carton

GROUND CORD



WRIST STRAP



CORDLESS WRIST STRAP



CLEANROOM GLOVES

Powder Free, antistatic, low extractable ions and ideal for cleanroom use.

SPECIAL GLOVES

Cleanroom gloves for special use such as heat or chemical parts.

PVC VINYL GLOVES



LATEX GLOVES



CLEANROOM HEAT RESISTANCE GLOVES



NITRILE GLOVES



SEAMLESS GLOVES



GLOVES



ANTI-CHEMICAL GLOVES



ITEM	SIZE	PACKING
PVC Vinyl Gloves	12inch, S/ M/ L	50prs/bag, 10bags/carton box
Latex Gloves	12inch, S/ M/ L	50prs/bag, 10bags/carton box
Nitrile Gloves	12inch, S/ M/ L	50prs/bag, 10bags/carton box
Seamless Gloves	12inch, S/ M/ L	1pr/bag, 10bags/carton box

ITEM	SIZE	PACKING
Heat Resistance Gloves	Free	1pr/bag
Gloves	360mm, 580mm	1pr/carton box
Anti-Chemical Gloves	Free	1pr/bag

TESTER

Tester

SURFACE RESISTIVITY TESTER



SRM-100



ST-3

VOLTAGE TESTER



FMX-003



Shoe Tester

ESD ACYLIC/ PVC/ PC SHEET

- ESD ACYLIC
- PVC
- PC SHEET

PURPOSE: Clean benches, Desiccators, Cases, Covers, Partitions

SIZE: 1,000(W) x 2,000(L),
1,200(W) x 2,400(L)

THICKNESS: 2~20mm(T)



ESD Acrylic/PVC/
PC Sheet

ION BLOWERS



NT-101A

120(W)x75(D)x170(H)

Decay Time Decay 1KV charge to 50 volts in <3sec at 500mm
 Effective Range 350mm
 Input Voltage 110V/220V, 50/60Hz
 Wind Angle 20±5°
 Ion Balance +/-20volts adjustable



NT-101B

165(W)x100(D)x235(H)



NT-102A

410(W)x70(D)x160(H)mm

Weight 3 Kg
 Effective Range 450mm
 Ion Balance +/-15volts adjustable



NT-103A

530(W)x70(D)x160(H)mm

Wind Min 3 ~ max 7m³/min
 Effective Range 750mm
 Fan Speed Adjustable
 Input Voltage 110V/220V, 50/60Hz
 Ion Balance +/-15volts adjustable



NT-104A

650(W)x70(D)x160(H)

Decay Time 1.5sec : 300mm / 3sec : 600mm
 Effective Range Max. 1,000mm
 Ion Balance +/-15volts adjustable



Overhead ion blower NT-104B

1,000(L)x170(W)x60(H)

AIR GUN



ION CONTROLLER

180(W)x105(D)x110(H)



AUTO NOZZLE

204(W)x202(D)x114(H)




CLEAN CHAMBER

350(W)x270(D)x330mm(H)



STATIC BAR



FINGER COTS

100% natural rubber Finger Cots prevent from the contamination from the fingertip. It helps Endurance and comfort give efficiency in working. Black conductive type is specially proper for ESD part.

Finger Cots

NT-101A

Antistatic White Type



NT-201A

Antistatic Powder Free Yellow Type



NT-301A

Black Conductive Type



NT-401

Antistatic Powder Free Type



NT-501

Antistatic Nitrile Type



NT-101C, NT-201C

Unrolled Type



ITEM	SIZE	TYPE	PACKING
NT-101A White	S, M, L	Rolled or Unrolled Smooth	1,000pcs/bag, 30bags/carton
NT-201A Yellow	S, M, L	Rolled Smooth/ Cut Smooth or Textured	1,000pcs/bag, 30bags/carton
NT-301A Black	S, M, L, XL	Rolled Textured	1,000pcs/bag, 30bags/carton
NT-401A Pink	S, M, L	Rolled Smooth	1,000pcs/bag, 30bags/carton
NT-501A Nitrile	S, M, L	Rolled or Cut Smooth	1,000pcs/bag, 30bags/carton

CLEARNROOM STATIONERY

Synthetic coated ESD paper without particles makes high performance in documentation in cleanroom.

CLEARNROOM PAPER & CLEANROOM NOTE BOOK



ESD CLEANROOM CLIP BOARD



ESD CLEANROOM HOLDER FILE



ESD CLEANROOM CLEAR FILE



ESD CLEANROOM LAMINATING FILM

ITEM	COLOR	SIZE(T)	PACKING
Clean Paper	Sky blue, White, Yellow, Green, Pink	A4, A3, B5	250sh/bag, 10bags/carton
Clean Notebook	Sky blue	A4, A5	Spring-50sh, Stapled-30sh
ESD Clip Board	Transparent	A4 (3T)	1ea/bag
ESD Holder File	Transparent	A4 (0.2T)	10pcs/bag, 100bags/ctn
ESD Clear File	Transparent	A4 (0.06T)	20pcs/5bag, 10bags/ctn
ESD Laminating Film	Transparent	A4 (0.1T)	100pcs/bag, 10bags/ctn

Cleanroom Stationery

ESD PACKAGING SHEETS & BAGS

ANTISTATIC SHIELDING BAGS




ANTISTATIC NYLON BAG



ALUMINUM MOISTURE BARRIER BAG




ANTISTATIC PE BAG



ANTISTATIC BUBBLE BAG



GRID BAG



CONDUCTIVE BLACK BAG



CONDUCTIVE BOX & TRAY

CONDUCTIVE CORRUGATED SHEETS & BOXES



CONDUCTIVE TRAY



CONDUCTIVE TRAY (D x W x H)
210 X 160 X 58
259 X 190 X 40
462 X 333 X 43



TWEEZERS



STAINLESS STEEL TWEEZERS



PLASTIC TWEEZERS



PLASTIC TIP CHANGE TWEEZERS



PLASTIC TWEEZERS



BAMBOO TWEEZERS