


CLEAN FLOOR ENVIRONMENT

The Most Reliable Caster Cleaning System With **World Class Technology**



Ultra Mist Collector

Feature

- It is miniaturized device that combines the new functions of gas-liquid separation and water vapor blocking up to the limit and also is the world's highest level of noise-free precise water vapor controller.
- Prevention of environmental pollution by water vapor.
- By controlling the water vapor in the cleaning room, you can visually identify the cleaning condition.
- The generated steam can be sent back to the cleaning room for its recycling



| Classification | MVC-20 | MVC-40 |
|-----------------------|---|---|
| Dimension | 300W×760H×424L | 315W×780H×500L |
| Consumption | 0.2kw | 0.4kw |
| Power | Three Phase 200V±10% 50/60Hz | |
| Air flow | 7.2m ³ /min(60Hz) 6m ³ /min(50Hz) | 13.5m ³ /min(60Hz) 11.5m ³ /min(50Hz) |
| Internal temperature | 75°C | |
| Weight | 15Kg | 20Kg |
| Collection Efficiency | 99.9% | |
| Inlet Ø/diameter | φ100 | φ150 |
| outlet Ø/diameter | φ225 | φ150 |
| Silencer | Special built-in special type | |
| Filter | SUS304 (Reusable type) | |
| Filter | 7dBA | |



AMS, INC.

10030 Via de la Amistad, San Diego, CA 92154
T: +1 (619) 661-5985 F: +1 (619) 661-5995 E: ams@ams-fa.com

AMS Dynamics, Inc.

2979 Pacific Drive Suite A Norcross, GA 30071
T: +1 (770) 864-5394 F: +1 (678) 691-1847 E: infoATL@ams-fa.com

AMS do BRASIL

Rua Laerte de Paiva, 344, Bairro Macuco, Valinhos –SP–CEP 13279.451
T: +55 (19) 3849-5555

AMS de MEXICO


Av. Hercules 301B – 17, Polígono Empresarial Sta. Rosa Jáuregui, Querétaro, Qro. C.P. 76220
T: +52 (442) 312-0920

Caster Wheel Cleaning System

Factory cleanliness begins with "Caster Wheel Cleaning System"



This Caster Wheel Cleaning System, which is the 1st to be developed in the world, cleans more than 98% of dust and other contaminants on the surface of the wheels of the Trolley/Cart.



- Perfect removal of residual moisture on wheels
- One-touch replacement of cleaning roller
- Safe forward function of rear wheels while being cleaned
- Automatic Sludge Discharge Function




| | |
|-------------------|---|
| Slope type | Suitable for Trolleys/Carts with Max capacity of 200 kg. Easy installation. |
| Model | Dimension (mm) |
| DS-200SA-R | 1900×2500×950 |
| DS-200SB-R | 2250×2500×950 |

| | |
|--------------------------|--|
| In-ground type | Customized production for a Trolley/Cart with 200kg~2 ton. Even wheels of a heavy Trolley/Cart can be easily and completely cleaned. |
| Model | Dimension (mm) |
| DS-300L-R~ DS-2000L-R | Customized size |

Installation Picture



Before and After cleaning



Cyclon Suction Mat

Indoor cleanliness Block dirt, dust and fine dust from the entrance.

Dust Collection Efficiency 99%



This is the optimum solution for indoor air quality, which blocks fine dust and foreign substances flowing through the soles of the shoes from the entrance.



- International Patent
USA
JAPAN
CHINA
EUROPE
- High suction power
- Convenient maintenance and water cleaning
- Monitor

Cyclone Dust Collector Convenient installation and maintenance.

| Model | Dimension (mm) | Model | Dimension (mm) |
|------------|----------------|------------|----------------|
| DS-102N-23 | 752×1207×900 | DS-104M-23 | 1002×1207×930 |
| DA-102N-24 | 752×1509×900 | DS-104M-24 | 1002×1509×930 |



Cyclone Suction Mat for Air Shower Room

This device can be easily installed on the floor of the Air Shower Room, so that the condition of the clean room can be improved accordingly.



It is reported that more than 80% of indoor air pollution comes from the shoe soles. The dust and other contaminants on the shoe sole cannot be easily removed, even when going through the Air Shower Room. This Suction Mat sucks the dusts and hairs on the sole of the shoe. Consequently, this device makes it easy for you to keep and improve the condition of your clean room.

- Removes residual moisture on wheels.
- One-touch replacement of cleaning roller
- Safe forward function of rear wheels while being cleaned
- Automatic Sludge Discharge Function

| Model | Dimension (mm) |
|------------|----------------|
| DS-104A-23 | 600×900×36 |
| DS-104A-24 | 600×1200×36 |




※ If necessary, put the Stainless Steel Molding Bar to fit size of the floor of the Air Shower Room.

Installation Picture



Contaminant Collection Test



Where to use

- At the floor of all kinds of Air Shower Room

Shoes Sole Cleaner

This device provides the perfect solution for improving and maintaining clean room condition.




This device is to get rid of dust and contaminants on the shoe sole with water and brushes before entering clean rooms and clean zone. It is equipped with wheels for easy movement.



After sensor detection, the brush automatically moves back & forth and left & right to remove contaminants. Suction Mat Sponge with excellent water absorption. Using an exclusive detergent will make your shoes easier to clean.



Option



Simplified Supply and Drainage System

Oil Separator



This device removes up to 99.6% of animal oil that is thrown away with sewage in the kitchen. Blockage of pipe will be disappear and the odor goes away.

※ Perfect solution for existing grease traps.



Picture of a blockage in a sewer

Installation Picture



Specification

| Model | Capacity(ℓ) | | Dimension(mm) | | |
|----------|-------------|---------|---------------|--------|--------|
| | GPM | per Min | Width | Length | Height |
| GOS-20 | 4 | 15.1 | 292 | 478 | 307 |
| GOS-40 | 10 | 37.9 | 406 | 704 | 356 |
| GOS-60 | 15 | 56.8 | 406 | 1008 | 356 |
| GOS-80 | 25 | 94.6 | 406 | 902 | 495 |
| GOS-80LP | 25 | 94.6 | 610 | 1103 | 357 |
| GOS-160 | 50 | 189.3 | 600 | 1011 | 558 |
| GOS-320 | 100 | 378.5 | 600 | 1272 | 812 |
| GOS-600 | 250 | 946.3 | 813 | 1537 | 1219 |


Convenience

- Designed to be used even under the sink of a small store.
- It's easy and convenient to manage this device because, you can see oil flowing out of the device.

Where to use

- Famous fast food restaurants, food courts, group food service center, military food service center, etc.
- Large restaurant, food processing factories, cooking restaurants, etc.

Magic Mat



All it takes is 3 steps on the mat for water, mud and oil removal on the sole of your shoes.


Cleanliness of the indoor environment starts with excellent goods installed at your entrance.

Material: Micro Fiber+Cotton

Installation Picture: IFC MALL 1F

- Keep your shoes sole clean with only 3 steps.
- Absorbs water, mud and oil on the shoe sole.
- Absorbs water on pets paws as well.
- Excellent moisture absorption function and durability.

Commercial



Home



Where to use

- Any entrances and gates.
- Any places where mopping is frequently required.
- Where forklifts and trolley drive in and out.
- Kitchen floor.

| Color | Dimension (mm) | Color | Dimension (mm) |
|------------------------|----------------|----------------|----------------|
| 4 colors besides black | 850×1500 | Beige Black | 500×750 |
| | 1150×1800 | | 750×1000 |
| | 1150×2400 | | 750×1500 |

